according to Safe Work Australia

Polishing Paste Bars HGP

Product number 730

Version: 4.1 Replaces version: 4.0
 Revision date:
 12/7/2023

 Date of print:
 27/7/2023

Page: 1 of 7 Language: en-AU

1. Identification

Product identifier

Trade name:

Polishing Paste Bars HGP

This safety data sheet pertains to the following products: 44250004 POLISH.COMP.BARS G-PP4 HGP 44250009 POLISH.COMP.BARS K-PP4 HGP

Recommended use of the chemical and restrictions on use

General use:

Polishing agent. Reserved for industrial and professional use.

Details of manufacturer or importer

Company name: Street/POB-No.:	PFERD Australia Pty. Ltd. Conifer Crescent 1-3
Postal Code, city:	3172 DINGLEY, VIC. Australia
WWW:	www.pferd.com
E-mail:	sales@pferd.com.au
Telephone:	(03) 95653200
Department responsible for info	ormation:

Telephone: (03) 95653200

Emergency phone number

Australia: 1-300-954-583 New Zealand: 0800-764-766

2. Hazard(s) identification

Classification of the hazardous chemical

GHS classification

This mixture is classified as not hazardous.

Label elements, including precautionary statements

Hazard statements:	not applicable

Precautionary statements: not applicable

Other hazards which do not result in classification

Repeated exposure may cause skin dryness or cracking.

Mechanical processing produce particles and dust from the workpiece and abrasive.

Particles/dusts: Can cause skin, eye and respiratory tract irritation.

The cryptocrystalline silica content can form fine dusts which, when inhaled, can develop a fibrinogenic effect in the lungs. Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).

3. Composition and information on ingredients

Mixtures

Identity of chemical ingredients:

Mixture containing the substances listed below:



according to Safe Work Australia

Polishing Paste Bars HGP

PFERD A

Product number 730

Version:	4.1	12/7/2023	Page:	2 of 7
Replaces version:	4.0	27/7/2023	Language:	en-AU

Hazardous ingredients:

CAS No.	Designation	Concentration	Classification
CAS 1344-28-1	Aluminium oxide	50 - 60 %	not classified
CAS 67701-03-5	Fatty acids, C16-18	10 - 15 %	not classified
CAS 68603-16-7	Alcohols, C12-18, distn. residues	10 - 15 %	not classified
CAS 1020665-14-8	Siliceous Earth	10 - 15 %	not classified

Additional information:

Neuburg Siliceous Earth is a naturally occurring mixture of amorphous and cryptocrystalline silica and lamellar kaolinite.

Siliceous Earth contains:

Cryptocrystalline silica (CAS No. 7631-86-9), silicic acid, amorphous (CAS No. 7631-86-9) and kaolinite (CAS No. 1318-74-7). Due to a cryptocrystalline silica alveolar dust content of < 0.1% by weight (BS EN 15051-B), classification according to Regulation (EC)1272/2008 is not required. The maximum workplace exposure limits are, where necessary, listed in section 8.

4. First aid measures

Description of necessary first aid measures

In case of inhalation:	Provide fresh air. If you feel unwell, seek medical advice.
Following skin contact:	Remove residues with soap and water. Change contaminated clothing. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if any. In case of eye irritation consult an ophthalmologist.
After swallowing:	Rinse mouth and drink large quantities of water. Avoid vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

Symptoms caused by exposure

In case of inhalation: Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough. Iung damages, asthma. In case of ingestion: Large amounts: Nausea and Diarrhoea. After contact with skin: Repeated exposure may cause skin dryness or cracking. After eye contact: Eye contact may cause mechanical irritation (dust).

Medical attention and special treatment

Treat symptomatically.

5. Firefighting measures

Suitable extinguishing equipment

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Specific hazards arising from the chemical

In case of fire may be liberated: Metal oxide smoke, carbon monoxide and carbon dioxide.

Special protective equipment and precautions for firefighters

Special protective equipment for firefighters:

Wear self-contained breathing apparatus.

Additional information: Hazchem or Emergency Action Code -

according to Safe Work Australia

Polishing Paste Bars HGP

Product number 730

Version: 4.1 Replaces version: 4.0
 Revision date:
 12/7/2023

 Date of print:
 27/7/2023

Page: 3 of 7 Language: en-AU

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Provide adequate ventilation. Avoid contact with skin and eyes. Avoid generation of dust.

Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

Methods and materials for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

7. Handling and storage

Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid generation of dust. Wear personal protection equipment. Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store in a cool dry place.

Hints on joint storage: Do not store together with food.

8. Exposure controls and personal protection

Exposure control measures

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
1344-28-1	Aluminium oxide	Australia: OEL-TWA	10 mg/m ³ (inhalable fraction)
7631-86-9	silicic acid	Australia: OEL-TWA	2 mg/m ³ (respirable fraction)

Appropriate engineering controls

Provide good ventilation and/or an exhaust system in the work area.

Individual protection measures, for example personal protective equipment (PPE)

Occupational exposure controls

Respiratory protection:	Respiratory protection must be worn according to AS/NZS 1715 and AS/NZS 1716 whenever the WEL levels have been exceeded. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.
Hand protection:	Protective gloves according to AS/NZS 2161. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Risk of splashes: Tightly sealed eye protectors according to AS/NZS 1337.
Body protection:	Wear suitable protective clothing and shoes.
General protection and hygien	e measures: Do not breathe dust. Avoid contact with skin and eyes. When using do not eat, drink or smoke. Change contaminated clothing. Wash hands before breaks and after work. Work place should be equipped with a shower and an eye rinsing apparatus.

Environmental exposure controls

Refer to 6.: Section "Environmental precautions".



according to Safe Work Australia

Polishing Paste Bars HGP

Product number 730

Version: 4.1 Replaces version: 4.0
 Revision date:
 12/7/2023

 Date of print:
 27/7/2023

Page: 4 of 7 Language: en-AU

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance:	Form: solid Colour: pink
Odour:	characteristic
Odour threshold:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	approx. 150 °C
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	at 20 °C: approx. 1.55 g/cm ³
Water solubility:	dispersible
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Additional information	
Viscosity:	No data available

Additional information: No data available

10. Stability and reactivity

Reactivity:	no data available
Chemical stability:	Product is stable under normal storage conditions.
Possibility of hazardous read	^{ctions:} No dangerous reactions are known.
Conditions to avoid:	Protect from frost.
Incompatible materials:	No data available
Hazardous decomposition p	
Thermal decomposition:	No known hazardous decomposition products. No data available



according to Safe Work Australia

Polishing Paste Bars HGP

Product number 730

Version: 4.1 Replaces version: 4.0



Page: 5 of 7 Language: en-AU

11. Toxicological information

Information on toxicological effects

Toxicological effects:	Acute toxicity (oral): Based on available data, the classification criteria are not met.
	Acute toxicity (dermal): Based on available data, the classification criteria are not met.
	Acute toxicity (inhalative): Based on available data, the classification criteria are not met.
	Skin corrosion/irritation: Based on available data, the classification criteria are not met. Frequently or prolonged contact with skin may cause dermal irritation.
	Serious eye damage/irritation: Based on available data, the classification criteria are not met. Dust contact with the eyes can lead to mechanical irritation.
	Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.
	Skin sensitisation: Based on available data, the classification criteria are not met.
	Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.
	Carcinogenicity: Based on available data, the classification criteria are not met.
	Reproductive toxicity: Based on available data, the classification criteria are not met.
	Effects on or via lactation: Lack of data.
	Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.
	Specific target organ toxicity (repeated exposure): Lack of data.
	Aspiration hazard: Based on available data, the classification criteria are not met.
Other information:	Pre-existing skin and respiratory conditions including dermatitis, asthma and chronic lung disease might be aggravated by exposure.
	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).
Symptoms	
	In case of inhalation: Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough. lung damages, asthma. In case of ingestion: Large amounts: Nausea and Diarrhoea. After contact with skin: Repeated exposure may cause skin dryness or cracking. After eye contact: Eye contact may cause mechanical irritation (dust).
	Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough. lung damages, asthma. In case of ingestion: Large amounts: Nausea and Diarrhoea. After contact with skin: Repeated exposure may cause skin dryness or cracking.

12. Ecological information

Ecotoxicity

Further details: No data available

Persistence and degradability

Further details: No data available

Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

Mobility in soil

No data available

Other adverse effects

General information:

tion: Do not allow to enter into ground-water, surface water or drains.

22

according to Safe Work Australia

Polishing Paste Bars HGP

Product number 730

Version: 4.1 Replaces version: 4.0
 Revision date:
 12/7/2023

 Date of print:
 27/7/2023

Page: 6 of 7 Language: en-AU

13. Disposal considerations

Waste treatment methods

Product

Recommendation: Dispose of waste according to applicable legislation.

Package Recommendation:

Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself.

14. Transport information

	-
Land transport (ADG)	
Product designation:	Not restricted
Sea transport (IMDG)	
Proper Shipping Name or Technical Name:	Not restricted
Marine pollutant:	no
Air transport (IATA)	
Proper Shipping Name or Technical Name:	Not restricted
Further information	
No dangero	us good in sense of these transport regulations.
Hazchem or Emergency Action	Code

15. Regulatory information

National regulations - Australia

No data available

Further regulations, limitations and legal requirements No data available



according to Safe Work Australia

Polishing Paste Bars HGP

Product number 730

Version: 4.1 Replaces version: 4.0
 Revision date:
 12/7/2023

 Date of print:
 27/7/2023

Page: 7 of 7 Language: en-AU

16. Other information

Abbreviations and acronyms:	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road ASNZS: Australian Standards/New Zealand Standards CAS: Chemical Abstracts Service CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level DNEL: Derived mo-effect level EC: European Community EN: European Standard EQ: Excepted quantities IATA: International Air Transport Association IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Air Transport Association – Dangerous Goods Regulations IBC Cocupational Exposure Limit Value OSHA: Occupational Exposure Limit Value OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail TLV: Threshold Limit Value TRGS: Technical Rules for Hazardous Substances TSCA: Toxic Substance Control Act VPAB: Very persistent and very bioaccumulative WEL: Workplace Exposure Limit
Reason of change: Date of first version:	General revision 10/8/2016

Department issuing data sheet

Contact person:

see section 1: Department responsible for information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products.

